

## MATERIAL:

MOUNTING BUSHING: COPPER ALLOY, NICKEL PLATED.


HOUSING: THERMOPLASTIC, BLACK

PIN, SPRING AND TERMINALS: COPPER ALLOY, SILVER PLATED.

INSULATORS: PHENOLIC

HARDWARE: HEX NUT: COPPER ALLOY, NICKEL PLATED
FLAT WASHER: STEEL, NICKEL PLATED

(NOT SHOWN)



CIRCUIT DIAGRAM

CUSTOMER DRAWING CAD/CAM DWG. NO.

SHEET I OF I

G	ECO #22992	8-31-99	JL	DK								NATURE, DEVELOPED S FOR IDENTIFICATI		
F	ECO #20055	9-8-95	DA	TAO	UNLESS OTHERWISE SPECIFIED	\$1	I Z E	WID	TH	MULT		LBS./M	TEMPER	
E	ECO #20054	9-8-95	DA	TAO	I. ALL DIMENSIONS IN INCHES TWO PLACE DECIMAL ±.01	FI	FINISH				MATERIAL			
D	ECO #20051	9-8-95	DA	TAO	THREE PLACE DECIMAL ±.005 ANGLES ±0.5°		SPEC. NO.           FIRST USED ON         SCALE           .         1 = 0.125				SPEC. NO.			
С	ECO #20046	9-8-95	DA	TAO	ALL DIA'S CONCENTRIC WITHIN .005 T.I.R.						Swilehereff			
В	ECO #19662	3-10-95	RC	GHJ	2. REMOVE ALL BURRS 3. MAKE NO DIMENSIONAL ALLOWANCES FOR	DA	ATE DRAWN	BY	CHK'D	APP'D GHJ			اللكالك	ا '
A	FIRST DRAWN	10-4-93	RS	GHJ	APPLIED FINISHES, I.E., PLATING, PAINTING, ETC.		10-4-93	RS	10-11-93	10-11-93				
ISSUE	CHANGE NO.	DATE	ВҮ	APP'D	4. HOLES ON THE SAME CENTERLINE MUST BE ALIGNED WITHIN ±.002	N A	NAME DOWED LAV				PART NO.	7 1 2 1		ISSUE
REVISIONS					DO NOT SCALE DRAWING		POWER JAX 7 12A						U	